

Total No. of Questions : 8]

SEAT No. :

P3611

[Total No. of Pages : 3

[5560]-566

T.E.(Electrical)

CONTROL SYSTEM - I
(2015 Course) (Semester - II)


Time : 2½ Hours]

[Max. Marks : 70


Instructions to the candidates:

- 1) Answer any one question from each pair of questions : Q.1 or Q.2, Q.3 or Q.4, Q.5 or Q.6, Q.7 or Q.8.
- 2) Figures to the right indicate full marks.

Q1) a) Draw the electrical analogous network and write the equation [7]



- b) The poles of a real rational transfer function are given as 0, -1 and -4. There is a single zero (of order 2) at $S = (-3)$. Determine the transfer function and plot pole zero on S-plane. [5]
- c) The block diagram of a unity feedback control system shown in figure below. [8]



Determine the characteristic equation of the system $\omega_n, \xi, \omega_d, t_p, M_p$ the time at which the first overshoot occurs, the time period of oscillation.

OR

P.T.O.

Q2) a) Define the following: [7]

- i) Time response
- ii) Transient response
- iii) Steady state response
- iv) Delay time
- v) Rise time
- vi) Peak time
- vii) Settling time

b) A characteristic equation of a feedback control system is given by $s^5 + s^4 + 4s^3 + 4s^2 + 2s + 1 = 0$ comment on stability. [4]

c) A unity feedback control system has an open loop transfer [9]

$G(s) = \frac{K}{s(s^2 + 4s + 13)}$ Sketch the root locus of the system by determining the following

- i) centroid and angle of asymptotes
- ii) Angle of departure from the poles
- iii) The value of K and the frequency at which the root locus crosses the imaginary axis.

Q3) a) Define and write formula [8]

- i) Resonant frequency
- ii) Resonant Peak
- iii) Band width
- iv) Plot M_r, M_p versus ξ for a second order system

b) A unity feedback system has open loop transfer function

$G(s) = \frac{(s + 2)}{(s + 1)(s - 1)}$ using nyquist criterion determine whether the closed loop system is stable or not. [8]

OR

Q4) a) Briefly state the nyquist criterion. [6]

b) Sketch the bode plot for the system whose open loop transfer function is given by $G(s) = \frac{20(0.1s + 1)}{s(0.5s + 1)(0.3s + 1)}$ and find GM, PM, ω_{gc} , ω_{pc} . [10]

- Q5) a)** Define Gain margin, phase margin, phase crossover frequency, gain crossover frequency. [6]
- b)** Sketch the asymptotic plot for open loop transfer function given by $G(s) = \frac{2(s+0.25)}{s^2(s+1)(s+0.5)}$ from bode diagram determine GM, PM, ω_{gc} , ω_{pc} . [12]

OR

- Q6) a)** Sketch bode diagram showing gain margin and phase margin for [6]
- Stable system
 - Unstable system
- b)** Using nyquist criterion investigate the stability of a closed loop control system whose open loop transfer function is given by [12]
- $$G(s) = \frac{K}{s(sT1+1)(sT2+1)}$$

- Q7) a)** Write short note on [8]
- Lead compensator
 - AC Tachometer
- b)** Explain the features of the following [8]
- P-Controller
 - PI-Controller
 - PID-Controller

OR

- Q8) a)** Write short notes on synchros. [6]
- b)** For the system shown below, design PID controller using Zigler Nichol tuning rule [10]

