

Total No. of Questions—5]

[Total No. of Printed Pages—4+2

Seat No.	
-------------	--

**[4968]-3001**

**B.C.A. (Third Semester) EXAMINATION, 2016**

**301 : RELATIONAL DATABASE MANAGEMENT**

**SYSTEM (RDBMS)**

**(2013 PATTERN)**

**Time : Three Hours**

**Maximum Marks : 80**

**N.B. :—** (i) *All* questions are compulsory.

(ii) Figures to the right indicate full marks.

1. Attempt all : [16]

- (a) Write any *two* distinguishing characteristics of RDBMS.
- (b) Give any *four* features of PL/SQL.
- (c) Which are the conflict operations of transaction ?
- (d) Define lock. List types of lock.
- (e) Define :
  - (i) Physical block
  - (ii) Buffer block.
- (f) List the iterative statements in PL/SQL.
- (g) What is dirty read problem ?
- (h) Give any *four* features of oracle.

P.T.O.

2. Attempt any *four* : [16]

- (a) Explain in detail relationship between application program and RDBMS.
- (b) What is cursor ? Explain attributes of cursor.
- (c) Write a note on conflict serializability.
- (d) Write a note on deadlock.
- (e) Explain designing issues of remote backup system.

3. Attempt any *four* : [16]

- (a) Explain stored procedure in PL/SQL with its syntax and example.
- (b) What is transaction ? Explain properties of transaction.
- (c) Write a note on granting of locks.
- (d) Explain the different types of schedules related to recovery with example.
- (e) Write a note on recovery from concurrent transactions.

4. Attempt any *four* : [16]

- (a) Consider the following relational database :

Employee(eno, ename, city, deptname)

Project(pno, pname, status)

emp\_proj.(eno, pno, no-of-days)

Write a function which will return total number of employees working on given project.

- (b) Consider the following relational database :

student (roll\_no, name, class, percentage)

teacher(tno, tname)

stud\_teach(roll\_no, tno, subject)

Write a trigger which will restrict insertion or updation of student having percentage greater than 100.

- (c) Consider the following relational database :

Customer (cno, cname, city)

Account (ano, acc\_type, balance, cno)

Write a procedure which will display account and customer details of given account number.

- (d) Consider the following relational database :

Department(dno, dname)

Book(bno, bname, pubname, price)

Dept\_book(dno, bno)

Write a cursor to display details of all books purchased for a 'computer' department.

- (e) Consider the following relational database :

Movie(mvno, mvname, releaseyear)

Write a package which will consist of one procedure and one function. Pass movie name as a parameter to procedure and display details of movie. Pass release year as a parameter to function and return total number of movies released in a given year.

5. Attempt any *four* : [16]

(a) Consider the following transactions. Find out two non-serial schedules that are serializable :

$T_1$	$T_2$
Read (P)	Read (P)
$P = P + 100$	$P = P - 100$
Write (P)	Write (P)
Read (Q)	Read (Q)
Read (R)	$Q = Q - 200$
$Q = Q + 200$	Write (Q)
Write (Q)	
$R = R + 300$	
Write (R)	

(b) Consider the following non-serial schedule. Is this schedule serializable ?

$T_1$	$T_2$
Read ( $x$ )	
Read ( $m$ )	
$x = x + m$	
	Read ( $n$ )
	Read ( $x$ )
	$x = x + n$
Write ( $x$ )	
	Write ( $x$ )
Read ( $y$ )	
$y = y + m$	
Write ( $y$ )	

- (c) The following is the list of events in an interleaved execution if set  $T_1, T_2, T_3$  and  $T_4$  assuming 2PL. Is there a deadlock ? If yes, which transactions are involved in deadlock ?

Time	Transaction	Code
$t_1$	$T_1$	Lock (A, X)
$t_2$	$T_2$	Lock (B, S)
$t_3$	$T_3$	Lock (A, S)
$t_4$	$T_4$	Lock (C, S)
$t_5$	$T_1$	Lock (B, X)
$t_6$	$T_2$	Lock (C, X)
$t_7$	$T_3$	Lock (D, S)
$t_8$	$T_4$	Lock (D, X)

- (d) The following is the list of events in an interleaved execution if set  $T_1, T_2, T_3$  and  $T_4$  assuming 2PL. Is there a deadlock ? If yes, which transactions are involved in deadlock ?

Time	Transaction	Code
$t_1$	$T_1$	Lock (A, X)
$t_2$	$T_2$	Lock (B, X)
$t_3$	$T_3$	Lock (C, X)
$t_4$	$T_4$	Lock (A, S)
$t_5$	$T_1$	Lock (C, S)
$t_6$	$T_2$	Lock (D, S)
$t_7$	$T_3$	Lock (D, S)
$t_8$	$T_4$	Lock (B, S)

- (e) The following are the log entries at the time of system crash :

[start\_transaction, T<sub>1</sub>]

[write\_item, T<sub>1</sub>, P, 10, 20]

[commit T<sub>1</sub>]

[start-transaction, T<sub>2</sub>]

[write\_item, T<sub>2</sub>, Q, 30, 20]

[write\_item, T<sub>2</sub>, R, 20, 30]

[commit T<sub>2</sub>]

[checkpoint]

[start-transaction, T<sub>4</sub>]

[write\_item, T<sub>4</sub>, S, 20, 10]

[start-transaction, T<sub>3</sub>]

[write\_item, T<sub>3</sub> T<sub>1</sub>, 10, 30] ← system crash

If immediate update with checkpoint is used, what will be the recovery ?